### MATERIAL SAFETY DATA SHEET

### 1. PRODUCT AND PREPARATION INFORMATION

Manufacturer: Dominion Sure Seal Ltd.

6175 Danville Road, Mississauga, Ontario

Canada, L5T 2H7 (905)670-5411

U.S.A. 1-800-265-0790

Emergency telephone numbers: Dominion Sure Seal (8 AM TO 4 PM EST)

(905)670-5411 CANUTEC (24 HR) (613) 996 – 6666

Product Name: Semi-Rigid Plastic Repair Part A

Product Code: XPSAP Part A 4013

Synonyms: Not Applicable

Chemical Family: Epoxy
Molecular Formula: Mixture
Product Use: Adhesive

Prepared by: Regulatory Department

Preparation Date: June 1, 2014

### 2. HAZARDOUS INGREDIENTS

Hazardous	CAS Number	Wt. %	TLV ppm	LD/50	LC/50
Ingredients				Route, Species	Route, Species
Reaction Product of	25085-99-8	30-60	Not	5,000 mg/kg	Not Available
Epichlorhydrin and			Available	(oral, rat)	
Bisphenol-A				20,000 mg/kg	
				(dermal, rbt)	
Butyl Benzyl	85-68-7	3-7	5 mg/m3	20,400 mg/kg	6.7 mg/L
Phthalate				(oral, rat)	(rat, 4h)
				10,000 mg/kg	
				(dermal, rbt)	
Glycidyl Ether of	68609-97-2	1-5	Not	17,100 mg/kg	Not Available
C12-C14 Alcohol			Available	(oral, rat)	

The other components of this product are not considered hazardous under applicable U.S. OSHA and/or Canadian WHMIS regulations.

### 2. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Appearance	Pink
Odour	Epoxy
Odour Threshold	Not Available
Boiling Point (Deg.C)	Not Available
Melting/Freezing Point (Deg. C)	Not Available
Vapour Density (Air = 1)	>1
Specific Gravity (Estimate)	1.6
Vapour Pressure (mm Hg)	Not Available
Evaporation Rate, n-Butyl Acetate = 1	< 1
pH	Not Applicable
Solubility in Water	Negligible

## 4. FIRE AND EXPLOSION HAZARD

Flammability: Not

If Yes, Under Which Conditions: Not Applicable. Flammability Limits in Air (%): Not Available

Flash Point (TCC deg.C) > 100

Autoignition Temperature (Deg. C): Not Available

Hazardous Combustion Products: Carbon monoxide, Phenolics.

Sensitivity to Mechanical Impact: Not available. Not expected to be sensitive to

mechanical impact.

Rate of Burning: Not available. Explosive Power: Not available.

Sensitivity to Static Discharge: Not available. Not expected to be sensitive to static

discharge.

Extinguishing Media: Use any media that is appropriate for the

surrounding fire.

### 5. REACTIVITY DATA

Chemical Stability: Yes, under normal conditions.

Compatibility with Other Substances: No, with strong acids, strong basis, strong oxidizing

agents.

Hazardous Products of Decomposition: Carbon monoxide, Phenolics.

Hazardous Polymerisation: Polymerization with heat built up when in contact

with aliphatic amine.

#### 6. TOXICOLOGICAL PROPERTIES

Route of Entry:

Skin Contact: Yes
Skin Absorption: Yes
Eye Contact: Yes
Inhalation: No
Ingestion: Yes

Effects of Exposure: Product not expected to be toxic by inhalation.

Skin contact may cause slight irritation and allergic reaction. Swallowing may cause slight irritation of the mouth. Eye contact can cause slight transient

irritation.

Carcinogenicity of material: No information is available and no adverse

Carcinogenic effects are anticipated.

Reproductive effects: Butyl benzyl phthalate possibly causes toxicity to

human reproduction or development.

Teratogenicity: No information is available and no adverse

Teratogenic effects are anticipated.

Mutagenicity: No information is available and no adverse

Mutagenic effects are anticipated.

Sensitization of the material: As a result of previous exposure, certain individuals

develop sensitization which will cause them to react to a later exposure to product at levels well below the TLV. Symptoms may include allergic reactions.

### 7. PREVENTIVE MEASURES

Eye Protection: Chemical safety goggles with side shields when

there is a potential for eye contact.

Skin Protection: Impervious gloves on continuos basis.

Respiratory Protection: Not required.

Engineering Controls: General ventilation.

Leak/Spill Clean-Up Procedures: Ventilate enclosed spaces. Collect product for

disposal. Notify applicable government authority if release is reportable or could adversely affect the

environment.

Storage Instructions: Keep away from heat, sparks, and open flames.

#### 8. FIRST AID MEASURES

### Eye Contact:

In case of eye contact, immediately flush eyes with running water for a minimum of 15 minutes. Hold eyelids open during flushing. If irritation persists, repeat flushing. Obtain medical attention immediately.

Skin Contact:

For skin, wash thoroughly with soap and water. If irritation develops, get medical attention. Inhalation:

If affected by inhalation of vapour or spray mist, move to fresh air. Get medical attention if breathing is difficult.

Ingestion:

If swallowed, do not induce vomiting. If vomiting occurs, keep head below hips to prevent aspiration into lungs. Rinse mouth with water. Drink 1-2 glasses of milk to dilute product. Water may be used instead but is not as effective. Never give anything by mouth to an unconscious person. Obtain medical attention immediately.

### 9. TRANSPORT INFORMATION

Proper Shipping Name:

UN Number:

Class or Division:

Sub Risk:

Packing Group:

Not Regulated.

Not Applicable.

Not Applicable.

Not Applicable.

Not Applicable.

### 10. REGULATORY INFORMATION

### **U.S. Federal Regulations**

# Occupational Safety and Health Administration (OSHA) 29 CFR 1910.1200 Hazard Category:

Irritant – skin and eyes; Skin sensitizer; target organ effects reported.

**Toxic Substances Control Act (TSCA):** All components of this product are included on the TSCA inventory.

# $Comprehensive\ Environmental\ Response\ and\ Liability\ Act\ of\ 1980\ (CERCLA)\ Hazardous$

**Substances:** 

Chemical Name CAS Number Reportable Quantity (RQ)

Butyl benzyl phthalate 85-68-7 100

**CAA, Section 112 Hazardous Air Pollutants:** 

Chemical Name CAS Number Concentration

None NA NA

# Superfund Amendments and Reauthorization Act (SARA) Title III Information: SARA (EPCRA) Section 311/312 (40 CFR 370) Hazard Categories:

Immediate Hazard: Yes Delayed Hazard: Yes Fire Hazard: No Pressure Hazard: No Reactivity Hazard: No

# This product contains the following extremely hazardous substance(s) subject to the reporting requirements of SARA (EPCRA) Section 302:

Chemical Name CAS Number Concentration

None NA NA

# This product contains the following toxic chemical(s) subject to reporting requirements of SARA (EPCRA) Section 313 (40 CFR 372)

Chemical Name CAS Number Concentration

None NA NA

# Semi-Rigid Plastic Repair XPSAP Part A

### **State Regulations**

**California:** This product contains the following chemicals(s) known to the State of California to cause cancer, birth defects or reproductive harm:

Component CAS Number Maximum %

Butyl benzyl phthalate 85-68-7 3-7%

# **International Regulations**

# **Canadian Workplace Hazardous Materials Information System (WHMIS):** D2A, D2B

**Canadian Environmental Protection Act (DSL):** All of the components of this product are included on the Canadian Domestic Substances list (DSL).

**European Inventory of Existing Chemicals (EINECS):** All of the components of this product are included on EINECS.

#### 11. OTHER INFORMATION

## **VOC Compliance Statement:**

**VOC Content – Less Exempts:** < 10 g/l (0.08 lb/gal)

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR. **This MSDS is valid for three years.** 

The information contained herein is based on data considered accurate. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Dominion Sure Seal assumes no responsibility for personal injury or property damage to vendees or users or third parties, caused by the material. Such vendees or users assume all risks with the use of the material.